

**LOCINOX**<sup>®</sup>

Let's make it better together


# MOTORIZED **ELECTRADROP**




MOTORIZED ELECTRICAL DROP BOLT

## EASY AND FAST INSTALLATION

### CABLE SETUP FOR ELECTRADROP



### BOLT POSITION



## SPECIFICATIONS

- ✓ Vandal-proof, powder coated aluminium housing
- ✓ To be connected to the warning light on automated gates (min 3 sec prewarning signal) or directly on the gate automation
- ✓ Automatic detection and memorisation of the continuous or pulse signal
- ✓ Mechanical release possible (by key) in case of emergency
- ✓ The integrated obstacle detection will automatically stop the drop bolt movement in case of overpressure to avoid injuries.
- ✓ Throw: 115 mm
- ✓ Drop bolt diameter: 20 mm
- ✓ For gate profiles: 40 mm or more
- ✓ Consumption: 25 W / Standby: 0,2 W
- ✓ 5 m cable included
- ✓ Included: 3012-37-STD cylinder
- ✓ To connect to a Locinox DC-POWER-24V-25W power supply



## AVAILABLE IN

9005



ZILV



? LOCINOX				? LOCINOX CEE		? LOCINOX USA	
www.locinox.com	+32 56 77 27 66	help@locinox.com	www.locinox.com/electradrop	info@locinox.com	+48 71 758 21 00	infousa@locinox.com	877-LOCINOX

**LOCINOX**<sup>®</sup>

Let's make it better together


# THE NEW **ELECTRADROP-R**




MOTORIZED ELECTRICAL DROP BOLT  
WITH FAIL OPEN FUNCTIONALITY

## EASY AND FAST INSTALLATION

### CABLE SETUP FOR ELECTRADROP RUPTURA



### BOLT POSITION



## SPECIFICATIONS

- ✓ Fail Open functionality thanks to integrated back-up batteries (10y lifetime)
- ✓ Vandal-proof, anodized aluminium housing
- ✓ To be connected to the warning light output of the gate automation (3 sec Pre-flashing time)
- ✓ Automatic detection and memorisation of the continuous or pulse signal
- ✓ Mechanical release possible (by key)
- ✓ Integrated obstacle detection
- ✓ Low battery warning LED
- ✓ Very strong: > 1000 kg holding force
- ✓ Throw: 120 mm
- ✓ Drop bolt diameter: 20 mm
- ✓ To connect to a Locinox PowerStone 60W or DC-POWER-24V-25W power supply
- ✓ Support for horizontal installation



## AVAILABLE IN

9005



ALUM



**LOCINOX**



www.locinox.com HQ: +32 56 77 27 66 help@locinox.com www.locinox.com/electradrop-r CEE: +48 71 758 21 00

**LOCINOX USA**



www.locinoxusa.com 877- LOCINOX helpusa@locinox.com www.locinoxusa.com/electradrop-r